

NBScience All-Ukrainian Clinical Trials Registry (NUCTR)

<http://www.nbscience.com/registry.html>

<p><u>A Multinational, Randomized, Double-Blind, Placebo-Controlled, Parallel Group Study to Investigate the Efficacy, Safety and Duration of Effect of a Single Administration of Various Doses of Cetrorelix SR in Subjects With Histologically Confirmed</u></p> <p>Study Status: This study is no longer recruiting patients. Sponsored by: Solvay Pharmaceuticals Condition: Endometriosis Phase: Phase II</p>	<p><u>Endometrial Safety Study of Femoston Conti Low Dose</u></p> <p>Study Status: This study has been terminated. Sponsored by: Solvay Pharmaceuticals Condition: Postmenopause Phase: Phase III</p>
<p><u>Efficacy, Safety, Tolerability of Pramipexol ER Versus Pramipexol IR Versus Placebo in Early PD Patients</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Boehringer Ingelheim Pharmaceuticals Condition: Parkinson's Disease Phase: Phase III</p>	<p><u>A Comparative Study of Alogliptin and Actos® in Patients With Type 2 Diabetes Mellitus and Class II Heart Failure.</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Hoffmann-La Roche Condition: Diabetes Mellitus, Type 2 Phase: Phase II</p>
<p><u>Study of an Investigational Drug for the Prevention of Thrombosis-Related Events Following Knee Replacement Surgery</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Bristol-Myers Squibb Condition: Deep Vein Thrombosis Pulmonary Embolism Phase: Phase III</p>	<p><u>A Study of Eszopiclone Co-Administered With Venlafaxine in Subjects With Major Depressive Disorder and Insomnia</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Sepracor, Inc. Condition: Major Depressive Disorder Insomnia Phase: Phase III</p>
<p><u>A Study of the Safety and Efficacy of Intravenous CNTO 148 (Golimumab) in Patients With Active Rheumatoid Arthritis Despite Methotrexate Therapy</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Centocor, Inc. Schering-Plough</p>	<p><u>GW786034 (Pazopanib) In Metastatic Renal Cell Carcinoma</u></p> <p>Study Status: This study is no longer recruiting patients. Sponsored by: GlaxoSmithKline Condition: Renal Cell Carcinoma Phase: Phase III</p>

<p>Condition: Rheumatoid Arthritis Phase: Phase III</p>	
<p>TESRA: (Treatment of Emphysema With a Gamma-Selective Retinoid Agonist)</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Hoffmann-La Roche Condition: Emphysema Phase: Phase II</p>	<p>A Continuation Study to Assess the Effect of CellCept in Patients With Myasthenia Gravis.</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: Hoffmann-La Roche Aspreva Pharmaceuticals</p> <p>Condition: Myasthenia Gravis Generalised Phase: Phase III</p>
<p>A Comparison of AZD6140 and Clopidogrel in Patients With Acute Coronary Syndrome</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: AstraZeneca Condition: Acute Coronary Syndrome Phase: Phase III</p>	<p>A Study to Look at the Efficacy and Safety of Kepra® Extended Release</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: UCB Condition: Epilepsy Phase: Phase III</p>
<p>Pharmacokinetic Study of Tescmilifene (YMB1002) Plus Epirubicin and Cyclophosphamide in Metastatic Breast Cancer</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: YM BioSciences Condition: Metastatic/Recurrent Breast Cancer Phase: Phase I</p>	<p>Efficacy and Safety of BI 1356 BS in Combination With Metformin in Patients With type2 Diabetes</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Boehringer Ingelheim Pharmaceuticals Condition: Diabetes Mellitus, Type 2 Phase: Phase II</p>
<p>A Study of Visilizumab in Subjects With Intravenous Steroid-Refractory Ulcerative Colitis</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: PDL BioPharma, Inc. Condition: Ulcerative Colitis Phase: Phase II Phase III</p>	<p>A Study to Evaluate the Effectiveness and Safety of 3 Doses of Paliperidone Palmitate in Treating Subjects With Schizophrenia</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: Johnson & Johnson Pharmaceutical Research & Development, L.L.C. Condition: Schizophrenia Phase: Phase III</p>
<p>Study Evaluating LAMICTAL Extended-Release Therapy Added To Current Seizure Treatments In Patients With Partial Seizures</p>	<p>Study Evaluating LAMICTAL Extended-Release Therapy Added To Current Seizure Treatments In Patients With Primary Generalized Tonic-Clonic Seizures (PGTC)</p>

<p>Study Status: This study is no longer recruiting patients. Sponsored by: GlaxoSmithKline Condition: Epilepsy Phase: Phase III</p>	<p>Seizures</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by: GlaxoSmithKline Condition: Seizures, Tonic-Clonic Epilepsy Phase: Phase III</p>
<p>Cancer Vaccine Study for Unresectable Stage III Non-Small Cell Lung Cancer</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Merck KGaA Condition: Non-Small Cell Lung Cancer Phase: Phase III</p>	<p>Zolip 0501: Comparison of the Combination of Fenofibrate and 20 mg Simvastatin Versus 40 mg Simvastatin Monotherapy</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Fournier Laboratories Ireland Ltd Laboratoires Fournier SA Condition: Hyperlipidemia Phase: Phase III</p>
<p>(Expanded Access Protocol) Of Lapatinib Combined With Capecitabine In Metastatic Breast Cancer</p> <p>Sponsored by: GlaxoSmithKline Condition: Breast Cancer</p>	<p>Open-Label Extension Study of the Phase 3 VRX-RET-E22-302 Double-Blind Trial</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Valeant Pharmaceuticals North America Condition: Epilepsies, Partial Phase: Phase III</p>
<p>BEYOND Follow-up: Betaferon®/Betaseron® Efficacy Yielding Outcomes of a New Dose</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Bayer Condition: Multiple Sclerosis Phase: Phase III</p>	<p>Safety and Efficacy Study of AVI-5126 When Used on Vein Grafts Before Use in Heart by-Pass Graft Surgery (CABG)</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: AVI BioPharma Condition: Cardiovascular Disease Coronary Artery Bypass Phase: Phase II</p>
<p>Randomized, Double-Blind Study Comparing Once Daily Oral Rivaroxaban With Adjusted-Dose Oral Warfarin for the Prevention of Stroke in Subjects With Non-Valvular Atrial Fibrillation</p> <p>Study Status: This study is currently recruiting</p>	<p>Comparison of Moxifloxacin With Piperacillin/Tazobactam Followed by Amoxicillin/Clavulanic Acid in Patients With a Complicated Skin and Skin Structure Infection</p> <p>Study Status: This study is currently recruiting patients.</p>

<p>patients. Sponsored by:: Bayer Johnson & Johnson Pharmaceutical Research & Development, L.L.C.</p> <p>Condition: Atrial Fibrillation (AF) Stroke Phase: Phase III</p>	<p>Sponsored by:: Bayer Condition: Abscess Wound Infection Diabetic Foot Infected Ischemic Ulcer Soft Tissue Infections Phase: Phase III</p>
<p><u>EndoTAG-1 / Gemcitabine Combination Therapy to Treat Locally Advanced and/or Metastatic Adenocarcinoma of the Pancreas</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: MediGene Condition: Adenocarcinoma Metastasis Pancreas Neoplasms Phase: Phase II</p>	<p><u>An Observational Follow-up Study for Subjects Receiving Salvage Therapy After Previous Treatment in a Vismivumab Study for Intravenous Steroid-Refractory Ulcerative Colitis</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: PDL BioPharma, Inc. Condition: Ulcerative Colitis</p>
<p><u>Immuno & Safety Study of GSK Biologicals" Thio or Preservative Free Hepatitis B Vaccine in Subjects Aged 11-15 Yrs</u></p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: GlaxoSmithKline Condition: Prophylaxis of Hepatitis B Phase: Phase III</p>	<p><u>Placebo-Controlled Study of the Combination of SYR-322 and Pioglitazone HCl in the Treatment of Type 2 Diabetes</u></p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Takeda Global Research & Development Center, Inc. PPD Condition: Type 2 Diabetes Mellitus Phase: Phase III</p>
<p><u>A Prospective, Randomised, Double-Blind, Double-Dummy, Forced-Titration, Multicentre, Parallel Group, One Year Treatment Trial to Investigate the Efficacy of Telmisartan 80 mg Versus Valsartan 160 mg in Hypertensive Type 2 Diabetic Patients With Overt Ne</u></p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: Boehringer Ingelheim Pharmaceuticals Condition: Diabetic Nephropathies Hypertension Phase: Phase IV</p>	<p><u>A Multinational, Randomized, Double-Blind, Placebo-Controlled, Parallel Group Study to Investigate the Efficacy, Safety and Duration of Effect of a Single Administration of Various Doses of Cetrorelix SR in Subjects With Histologically Confirme</u></p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: Solvay Pharmaceuticals Condition: Endometriosis Phase: Phase II</p>
<p><u>MASCOT: Mixed Antagonist of Serotonin for Claudication Optimal Therapy</u></p>	<p><u>Dose Ranging Study of the GLP-1 Agonist AVE0010 in Metformin-Treated Subjects With</u></p>

<p>Study Status: This study is currently recruiting patients. Sponsored by:: Sanofi-Aventis Condition: Intermittent Claudication Phase: Phase II</p>	<p>Type 2 Diabetes Mellitus</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: Sanofi-Aventis Condition: Type 2 Diabetes Phase: Phase II</p>
<p>Study on Prolonging Bone Metastasis-Free Survival in Men With Hormone Refractory Prostate Cancer</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Amgen Condition: Hormone Refractory Prostate Cancer Phase: Phase III</p>	<p>Study of Visilizumab Versus Placebo in Subjects With Intravenous Steroid-Refractory Ulcerative Colitis Previously Responsive in a Visilizumab Study</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: PDL BioPharma, Inc. Condition: Ulcerative Colitis</p>
<p>Iressa Vs Best Supportive Care - 2nd/3rd Line Survival Study</p> <p>Study Status: This study has been completed. Sponsored by:: AstraZeneca Condition: NSCLC Phase: Phase III</p>	<p>Ceftobiprole in the Treatment of Hospital-Acquired Pulmonary Infections</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Johnson & Johnson Pharmaceutical Research & Development, L.L.C. Condition: Pneumonia Phase: Phase III</p>
<p>A Placebo Controlled Study to Assess Efficacy and Safety of Certolizumab Pegol in the Treatment of Rheumatoid Arthritis</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: UCB Condition: Rheumatoid Arthritis Phase: Phase III</p>	<p>Comparing Irinotecan and 5 FU/FA To 5-FU/FA After Resection Of Liver Metastases For Colorectal Cancer</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Pfizer Condition: Colorectal Neoplasms Liver Neoplasms Phase: Phase III</p>
<p>Study of Irofulven Plus Capecitabine in Patients With Advanced Thyroid Cancer</p> <p>Study Status: This study has been completed. Sponsored by:: MGI Pharma Condition: Thyroid Cancer Phase: Phase II</p>	<p>BAY 43-9006 (Sorafenib) Versus Interferon Alpha-2a in Patients With Unresectable and/or Metastatic Renal Cell Carcinoma</p> <p>Study Status: This study has been completed. Sponsored by:: Bayer Condition: Cancer Renal Cell Cancer (HCC) Phase: Phase II</p>

<p>Study of BAY 43-9006 in Patients With Unresectable and/or Metastatic Renal Cell Cancer</p> <p>Study Status: This study has been completed. Sponsored by:: Bayer ONYX Pharmaceuticals</p> <p>Condition: Cancer Renal Cell Carcinoma (RCC) Phase: Phase III</p>	<p>Oral Topotecan Versus Intravenous Docetaxel In Pretreated, Advanced Non-Small Cell Lung Cancer</p> <p>Study Status: This study has been completed. Sponsored by:: GlaxoSmithKline Condition: Non-Small Cell Lung Cancer Phase: Phase III</p>
<p>A Multi-Dose Study to Assess Tolerability, Safety and Pharmacology of hGH-ViaDerm™ System in Adults With GH-Deficiency</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Teva Neuroscience Teva Pharmaceutical Industries TransPharma</p> <p>Condition: Growth Hormone Deficiency Phase: Phase I</p>	<p>Safety and Efficacy of Doxorubicin Adsorbed to Magnetic Beads Vs. IV Doxorubicin in Treating Liver Cancer</p> <p>Study Status: This study has been terminated. Sponsored by:: FeRx Condition: Carcinoma, Hepatocellular Phase: Phase II Phase III</p>
<p>The FLASH Study: A Study of Roflumilast Versus Placebo in Patients With Asthma (BY217/M2-023)</p> <p>Study Status: This study has been completed. Sponsored by:: ALTANA Pharma Condition: Asthma Phase: Phase III</p>	<p>A Comparative Study of Inhaled Ciclesonide Versus Placebo in Children With Asthma (6-11 y) (BY9010/M1-209)</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by:: ALTANA Pharma Condition: Asthma Phase: Phase III</p>
<p>Study to Evaluate a Subcutaneous Four Months Sustained-Release Formulation of Triptorelin in Patients With Prostate Cancer</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Ipsen Condition: Prostate Cancer Phase: Phase III</p>	<p>SERETIDE 50/500mcg Versus Tiotropium Bromide On Exacerbation Rates In Severe Chronic Obstructive Pulmonary Disease</p> <p>Study Status: This study has been completed. Sponsored by:: GlaxoSmithKline Condition: Chronic Obstructive Pulmonary Disease Phase: Phase IV</p>
<p>EXTEND (Eltrombopag Extended Dosing Study)</p> <p>Study Status: This study is currently recruiting patients.</p>	<p>ECLIPSE - Evaluation of COPD (Chronic Obstructive Pulmonary Disease) to Longitudinally Identify Predictive Surrogate Endpoints</p>

<p>Sponsored by: GlaxoSmithKline Condition: Idiopathic Thrombocytopenic Purpura Phase: Phase III</p>	<p>Study Status: This study is currently recruiting patients. Sponsored by: GlaxoSmithKline Condition: Chronic Obstructive Pulmonary Disease</p>
<p>A Study of the Safety and Effectiveness of Liquid Certolizumab Pegol in the Treatment of Signs and Symptoms of Rheumatoid Arthritis and in Prevention of Joint Damage in Patients With Active Rheumatoid Arthritis</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by: UCB Condition: Rheumatoid Arthritis Phase: Phase III</p>	<p>A Companion Study for Patients Enrolled in Prior/Parent Ipilimumab Studies</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Bristol-Myers Squibb Condition: Melanoma Phase: Phase IPhase III</p>
<p>SB497115 (Oral Thrombopoietin Receptor Agonist) Versus Placebo In Adults With Thrombocytopenia Due To Hepatitis C</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: GlaxoSmithKline Condition: Hepatitis C Thrombocytopenia Phase: Phase II</p>	<p>SB-497115 (Oral Thrombopoietin Receptor Agonist) Versus Placebo In Adults With Refractory Immune Thrombocytopenic Purpura</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by: GlaxoSmithKline Condition: Immune Thrombocytopenic Purpura Phase: Phase IPhase III</p>
<p>Study to Define Optimal IGF-1 Monitoring in Children Treated With NutropinAq</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: Ipsen Condition: Turner Syndrome Renal Insufficiency, Chronic Pituitary Diseases Dwarfism Phase: Phase III</p>	<p>EndoTAG-1 in Triple Receptor Negative Breast Cancer Patients</p> <p>Study Status: This study is currently recruiting patients. Sponsored by: MediGene Condition: Metastatic or Relapsed Breast Neoplasm Phase: Phase II</p>
<p>Evaluation Of Fondaparinux (Also Called ARIXTRA) 2.5 mg Subcutaneously Once Daily For The Treatment Of Superficial Thrombophlebitis (Also Known As Superficial Vein Thrombosis)</p> <p>Study Status: This study is not yet open for patient recruitment. Sponsored by: GlaxoSmithKline Condition: Superficial Thrombophlebitis</p>	<p>Oral CF101 and Methotrexate Treatment in Rheumatoid Arthritis Patients</p> <p>Study Status: This study is no longer recruiting patients. Sponsored by: Can-Fite BioPharma Condition: Rheumatoid Arthritis Phase: Phase II</p>

Phase: Phase III	
Active Symptom Control Alone Or In Combination With Oral Topotecan In Patients With Relapsed Resistant Small Cell Lung Cancer Study Status: This study has been completed. Sponsored by:: GlaxoSmithKline Condition: Small Cell Lung Cancer Phase: Phase III	A Study of Meloxicam [Mobic] in Juvenile Rheumatoid Arthritis (JRA) Study Status: This study has been completed. Sponsored by:: Boehringer Ingelheim Pharmaceuticals Condition: Arthritis, Juvenile Rheumatoid Phase: Phase III
Odiparcil For The Prevention Of Venous Thromboembolism Study Status: This study is no longer recruiting patients. Sponsored by:: GlaxoSmithKline Condition: Venous Thromboembolism Deep Vein Thrombosis Pulmonary Embolism Phase: Phase II	Retigabine Efficacy and Safety Trial for Partial Onset Refractory Seizures in Epilepsy Study Status: This study is currently recruiting patients. Sponsored by:: Valeant Pharmaceuticals North America Condition: Epilepsies, Partial Phase: Phase III
Determine Long-Term Safety and Tolerability of Pregabalin in Patients With Anxiety Disorders. Study Status: This study has been completed. Sponsored by:: Pfizer Condition: Anxiety Neuroses Phase: Phase III	Study Evaluating GAP-486 in Non-Sustained Ventricular Tachycardia Study Status: This study has been terminated. Sponsored by:: Wyeth Condition: Arrhythmias Phase: Phase II
Cetuximab (Erbix) in Combination With Cisplatin or Carboplatin and 5-Fluorouracil in the First Line Treatment of Subjects With Recurrent and/or Metastatic Squamous Cell Carcinoma of the Head and Neck (EXTREME) Study Status: This study is no longer recruiting patients. Sponsored by:: Merck KGaA Condition: Head and Neck Cancer Phase: Phase III	Safety and Efficacy of an Anti-Psychotic in Subjects With Schizophrenia Study Status: This study has been completed. Sponsored by:: Johnson & Johnson Pharmaceutical Research & Development, L.L.C. Condition: Schizophrenia Phase: Phase II
Dose Response Study of Zonegran in Patients With Newly Diagnosed Epilepsy Study Status: This study is no longer recruiting patients. Sponsored by:: Elan Pharmaceuticals	A Study to Evaluate the Efficacy and Safety of CG5503 in the Treatment of Acute Pain After Abdominal Hysterectomy Compared With Morphine and Placebo Study Status: This study is currently recruiting

<p>Condition: Epilepsy, Complex Partial Phase: Phase III</p>	<p>patients. Sponsored by:: Grunenthal GmbH Johnson & Johnson Pharmaceutical Research & Development, L.L.C.</p> <p>Condition: Hysterectomy Abdominal Pain Assessment Visceral Pain Phase: Phase III</p>
<p>Study of Picoplatin Efficacy After Relapse</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Poniard Pharmaceuticals Condition: Small Cell Lung Cancer Phase: Phase III</p>	<p>A Study of the Drug Casopitant for the Prevention of Nausea Caused By Cisplatin-Based Highly Emetogenic Chemotherapy</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: GlaxoSmithKline Condition: Nausea Vomiting Phase: Phase III</p>
<p>A Clinical Trial To Assess Fesoterodine On Treatment Satisfaction And Symptom Improvement In Overactive Bladder Patients</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Pfizer Condition: Overactive Bladder Phase: Phase III</p>	<p>RAISE: Randomized Placebo-Controlled Idiopathic Thrombocytopenic Purpura (ITP) Study With Eltrombopag</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: GlaxoSmithKline Condition: Idiopathic Thrombocytopenic Purpura Phase: Phase III</p>
<p>A Double Blind Study for the Treatment of Acute Ulcerative Colitis</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Procter & Gamble Pharmaceuticals Condition: Ulcerative Colitis Phase: Phase III</p>	<p>[S,S]-Reboxetine Long Term Safety Study In Chronic Painful Diabetic Peripheral Neuropathy.</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Pfizer Condition: Pain Phase: Phase II</p>
<p>PRECISION : Prospective Randomized Evaluation of Celecoxib Integrated Safety vs Ibuprofen Or Naproxen</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: Pfizer The Cleveland Clinic</p>	<p>A Comparison Of Ropinirole Immediate Release (IR) With Ropinirole Prolonged Release (PR/XR)In Patients With Advanced Parkinson's Disease</p> <p>Study Status: This study is currently recruiting patients. Sponsored by:: GlaxoSmithKline Condition: Parkinson's Disease</p>

Condition: Osteoarthritis Arthritis, Rheumatoid Phase: Phase IV	Phase: Phase III
Secondary Prevention of Venous Thrombo Embolism. Study Status: This study is currently recruiting patients. Sponsored by:: Boehringer Ingelheim Pharmaceuticals Condition: Thromboembolism Phase: Phase III	Dacarbazine and Ipilimumab vs. Dacarbazine With Placebo in Untreated Unresectable Stage III or IV Melanoma Study Status: This study is currently recruiting patients. Sponsored by:: Bristol-Myers Squibb Medarex Condition: Melanoma Phase: Phase III

[Study of Zoladex Given Every 12 Weeks Versus Given Every Month in Advanced Breast Cancer \(ABC\) Pre-Menopausal Women](#)

Study Status: This study is currently recruiting patients.
Sponsored by:: **AstraZeneca**
Condition: Advanced Breast Cancer
Phase: Phase II

[Safety and Tolerability of Ziprasidone in Adolescents With Schizophrenia](#)

Study Status: This study is currently recruiting patients.
Sponsored by:: **Pfizer**
Condition: Schizophrenia
Phase: Phase III

[Evaluation of Effectiveness and Safety of Paliperidone ER \(Extended-Release\) Compared With Quetiapine in Patients With Schizophrenia](#)

Study Status: This study is currently recruiting patients.
Sponsored by:: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**
Janssen, LP

[Efficacy and Safety of Dabigatran Compared to Warfarin for 6 Month Treatment of Acute Symptomatic Venous Thromboembolism](#)

Study Status: This study is currently recruiting patients.
Sponsored by:: **Boehringer Ingelheim Pharmaceuticals**
Condition: Thromboembolism
Phase: Phase III

[Randomized Evaluation of Long Term Anticoagulant Therapy \(RE-LY\) With Dabigatran Etextilate](#)

Study Status: This study is currently recruiting patients.
Sponsored by:: **Boehringer Ingelheim Pharmaceuticals**
Condition: Atrial Fibrillation
Cerebrovascular Accident
Phase: Phase III

[An Open Label SLV308 Safety Extension to Study S308.3.001 in Early PD Patients](#)

Study Status: This study is currently recruiting patients.
Sponsored by:: **Solvay Pharmaceuticals**
Condition: Early Stage Parkinson"s Disease
Phase: Phase III

Condition: Schizophrenia

Phase: Phase III

[A Single Arm Study of Ipilimumab Monotherapy in Patients With Previously Treated Unresectable Stage III or IV Melanoma](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Bristol-Myers Squibb**
Medarex

Condition: Melanoma

Phase: Phase II

[A Study of the Effectiveness and Safety of Risperidone in the Treatment of Adolescents With Schizophrenia](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Condition: Schizophrenia
Psychotic Disorders
Phase: Phase III

[A Study of YM060 in Diarrhea-Predominant Irritable Bowel Syndrome \(d-IBS\)](#)

Study Status: This study has been completed.

Sponsored by: **Astellas Pharma Inc**
Astellas Pharma Europe BV

Condition: Irritable Bowel Syndrome
Phase: Phase II

[A Study of Liquid Certolizumab Pegol as Additional Medication to Methotrexate in the Treatment of Signs and Symptoms of Rheumatoid Arthritis and in Prevention of Joint Damage in Patients With Active Rheumatoid Arthritis](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **UCB**

[SLV308 for Treatment of Patients With Early Parkinson's Disease](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Solvay Pharmaceuticals**
Condition: Early Stage Parkinson's Disease
Phase: Phase III

[Phase 2 Clinical Study in Rheumatoid Arthritis With an Investigational Oral p38 MAP Kinase Inhibitor VX-702](#)

Study Status: This study has been completed.

Sponsored by: **Vertex Pharmaceuticals Incorporated**

Condition: Rheumatoid Arthritis
Phase: Phase II

[A Study of the Safety of Liquid Certolizumab Pegol in the Treatment of Signs and Symptoms of Rheumatoid Arthritis and in Prevention of Joint Damage in Patients With Active Rheumatoid Arthritis](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **UCB**
Condition: Rheumatoid Arthritis
Phase: Phase III

[3-Week Study of Asenapine, Olanzapine and Placebo for Treatment of Bipolar Mania](#)

Study Status: This study has been completed.

Sponsored by: **Organon**
Condition: Bipolar Disorder
Phase: Phase III

Condition: Rheumatoid Arthritis

Phase: Phase III

[An Extension Study of the Efficacy and Safety of Asenapine With Olanzapine](#)

[Efficacy and Safety of Asenapine With Placebo and Olanzapine](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Organon**
Pfizer

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Organon**
Pfizer

Condition: Schizophrenia

Phase: Phase III

[PRoFESS - Prevention Regimen For Effectively Avoiding Second Strokes](#)

Condition: Schizophrenia

Phase: Phase III

[Intravenous Tedisamil in the Rapid Conversion of Atrial Fibrillation or Flutter to Normal Sinus Rhythm in Male Subjects](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Boehringer Ingelheim Pharmaceuticals**

Condition: Cerebrovascular Accident

Phase: Phase IV

[Oxaliplatin and Cetuximab in First-Line Treatment of Metastatic Colorectal Cancer \(mCRC\)](#)

Study Status: This study has been completed.

Sponsored by:: **Solvay Pharmaceuticals**

Condition: Atrial Fibrillation

Atrial Flutter

Phase: Phase III

[Study of Muraglitazar Versus Pioglitazone in Type 2 Diabetes](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Merck KGaA**

Condition: Neoplasm Metastasis
Colorectal Cancer

Phase: Phase II

[Tipifarnib Versus Best Supportive Care in the Treatment of Newly Diagnosed Acute Myeloid Leukemia \(AML\)](#)

Study Status: This study has been completed.

Sponsored by:: **Bristol-Myers Squibb**
Merck

Condition: Type 2 Diabetes Mellitus

Phase: Phase III

[Investigate Risperidone for the Treatment of Schizophrenia in Adolescents](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Condition: Myeloid Leukemia
Acute Disease

Phase: Phase III

[Safety Study With OROS Paliperidone in Geriatric Subjects With Schizophrenia](#)

Study Status: This study has been completed.

Sponsored by:: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Condition: Schizophrenia

Phase: Phase III

[A Study to Evaluate the Efficacy and Safety of Herceptin \(Trastuzumab\) in Combination With an Aromatase Inhibitor in Patients With](#)

Study Status: This study has been completed.
Sponsored by: **Johnson & Johnson
Pharmaceutical Research & Development,
L.L.C.**
Condition: Schizophrenia
Phase: Phase III

[A Study to Compare MPR With MP in Newly Diagnosed Multiple Myeloma Subjects 65 Years Old or Older](#)

Study Status: This study is currently recruiting patients.
Sponsored by: **Celgene Corporation**
Parexel
Condition: Newly Diagnosed Multiple Myeloma
Phase: Phase III

[A Multicenter, Parallel-Group, Controlled, Randomized, Double-Blind Study of CC-5013 Plus Dexamethasone Versus Dexamethasone Alone in Previously Treated Subjects With Multiple Myeloma](#)

Study Status: This study is no longer recruiting patients.
Sponsored by: **Celgene Corporation**
Condition: Multiple Myeloma
Phase: Phase III

[Antihypertensive Efficacy and Safety of Candesartan/HCT 32/12.5 and 32/25 mg in Comparison With Candesartan 32 mg](#)

Study Status: This study is currently recruiting patients.
Sponsored by: **AstraZeneca**
Condition: Hypertension
Phase: Phase III

[A Study to Evaluate the Efficacy and Safety of Flexible Doses of Extended-Release \(ER\) Paliperidone Compared With Flexible Doses of Quetiapine and Placebo in Patients With Bipolar I Disorder](#)

Study Status: This study is currently recruiting

[Metastatic Breast Cancer](#)

Study Status: This study is no longer recruiting patients.
Sponsored by: **Hoffmann-La Roche**
Condition: Breast Cancer
Phase: Phase III

[A Comparison of the Effects of Alogliptin and Actos® on Renal Function on Patients With Type 2 Diabetes.](#)

Study Status: This study is currently recruiting patients.
Sponsored by: **Hoffmann-La Roche**
Condition: Diabetes Mellitus, Type 2
Phase: Phase II

[A Study To Evaluate GW685698X In Adolescent And Adult Subjects With Persistent Asthma](#)

Study Status: This study is currently recruiting patients.
Sponsored by: **GlaxoSmithKline**
Condition: Asthma
Phase: Phase II

[RECORD: Rosiglitazone Evaluated for Cardiac Outcomes and Regulation of Glycaemia in Diabetes](#)

Study Status: This study is no longer recruiting patients.
Sponsored by: **GlaxoSmithKline**
Condition: Type 2 Diabetes
Phase: Phase III

[ONTARGET: ONgoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial. TRANSCEND Telmisartan Randomized Assessment Study in ACE Intolerant Subjects With Cardiovascular Disease Trial.](#)

patients.

Sponsored by: **Johnson & Johnson
Pharmaceutical Research & Development,
L.L.C.**

Condition: Bipolar Disorder
Mood Disorders
Phase: Phase III

[To Determine Long Term Efficacy and Safety of Asenapine in Schizophrenic Patient Population](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Organon**
Condition: Schizophrenia
Phase: Phase III

[Study to Compare the Efficacy and Safety of CC-5013 Vs. Placebo in Subjects With Metastatic Malignant Melanoma.](#)

Study Status: This study has been completed.

Sponsored by: **Celgene Corporation**
ICON Clinical Research

Condition: Melanoma
Neoplasm Metastasis
Phase: Phase III

[Study of Proxinium Plus Best Supportive Care Versus Best Supportive Care for Patients With Advanced Head and Neck Cancer](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Viventia Biotech**
Condition: Advanced Squamous Cell Carcinoma of the Head and Neck Carcinoma, Squamous Cell Neoplasms, Squamous Cell Head and Neck Neoplasms Mouth Neoplasms Head and Neck Cancer
Phase: Phase II
Phase III

[A Prospective, Randomised, Double-Blind, Double-Dummy, Forced-Titration, Multicentre, Parallel Group, One Year Treatment Trial to Investigate the Efficacy of Telmisartan 80 mg Versus Valsartan 160 mg in Hypertensive Type](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Boehringer Ingelheim
Pharmaceuticals**

Condition: Cardiovascular Diseases
Phase: Phase IV

[Risperidone in the Prevention of Bipolar Mood Episodes](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Johnson & Johnson
Pharmaceutical Research & Development,
L.L.C.**

Condition: Bipolar Disorder
Phase: Phase III

[Efficacy and Tolerability of Beclomethasone Dipropionate 100 µg + Formoterol 6 µg pMDI Via HFA-134a Vs. Budesonide 160 µg + Formoterol 4,5 µg Dry Powder Via Turbuhaler®. \(Symbicort®\)](#)

Study Status: This study has been completed.

Sponsored by: **Chiesi Farmaceutici S.p.A.**
Condition: Bronchial Asthma
Phase: Phase III

[A Survival Study for Women With Advanced Lung Cancer Who Have Not Previously Received Chemotherapy.](#)

Study Status: This study has been terminated.

Sponsored by: **Cell Therapeutics**
Condition: NSCLC
Phase: Phase III

[Study of an Investigational Drug for the Prevention of Thrombosis-Related Events Following Hip Replacement Surgery](#)

[2 Diabetic Patients With Overt Ne](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Boehringer Ingelheim Pharmaceuticals**

Condition: Diabetic Nephropathies
Hypertension

Phase: Phase IV

[Efficacy and Safety Study of Seroquel SR in the Treatment of Generalised Anxiety Disorder](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **AstraZeneca**

Condition: Anxiety Disorders

Phase: Phase III

[Quetiapine Fumarate Bipolar Maintenance Monotherapy](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **AstraZeneca**

Condition: Bipolar Disorder

Phase: Phase III

[Study of Cisplatin/Vinorelbine +/- Cetuximab as First-Line Treatment of Advanced Non Small Cell Lung Cancer\(FLEX\)](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Merck KGaA**

Condition: Non Small Cell Lung Cancer

Phase: Phase III

[CONFIRM - A Comparison of Fulvestrant \(FASLODEX™\) 500mg With Fulvestrant \(FASLODEX™\) 250mg in Postmenopausal Women With Oestrogen Receptor Positive Advanced Breast Cancer Progressing or](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Bristol-Myers Squibb**

Condition: Deep Vein Thrombosis
Pulmonary Embolism

Phase: Phase III

[Efficacy and Safety Study of Seroquel SR in the Treatment of Major Depressive Disorder](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **AstraZeneca**

Condition: Major Depressive Disorder

Phase: Phase III

[A Multinational, Randomized, Double-Blind, Placebo-Controlled, Parallel Group Study to Investigate the Efficacy, Safety and Duration of Effect of a Single Administration of Various Doses of Cetrorelix SR in Subjects With Histologically Confirme](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Solvay Pharmaceuticals**

Condition: Endometriosis

Phase: Phase II

[Evaluate the Efficacy in the Prevention of Recurrence of the Symptoms of Schizophrenia](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Janssen-Cilag International NV

Condition: Schizophrenia

Phase: Phase III

[EFFICACY AND TOLERABILITY OF BECLOMETHASONE DIPROPIONATE 100 µg + FORMOTEROL 6 µg pMDI VIA HFA-134a vs. FLUTICASONE 125 µg + SALMETEROL 25 µg pMDI](#)

[Relapsing After Previous Endocrine Therapy.](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **AstraZeneca**

Condition: Breast Cancer

Phase: Phase III

[An Open Label SLV308 Safety Extension to Study S308.3.002 in Patients With Parkinson's Disease Experiencing Motor Fluctuations.](#)

Study Status: This study is not yet open for patient recruitment.

Sponsored by: **Solvay Pharmaceuticals**

Condition: Advanced Stage Parkinson Disease

Phase: Phase III

[A Study of DU-176b in Preventing Blood Clots After Hip Replacement Surgery](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Daiichi Sankyo Inc.**

Condition: Thrombosis

Hip Replacement

Phase: Phase II

[Ceftobiprole in the Treatment of Patients With Community-Acquired Pneumonia](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Condition: Pneumonia

Phase: Phase III

[Seroquel in Bipolar Depression Versus Lithium](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **AstraZeneca**

Condition: Bipolar Disorder

Bipolar Depression

Depression

Phase: Phase III

[Cetuximab Combined With Irinotecan in First-Line Therapy for Metastatic Colorectal Cancer](#)

Study Status: This study has been completed.

Sponsored by: **Chiesi Farmaceutici S.p.A.**

Condition: Bronchial Asthma

Phase: Phase III

[SLV308 for Treatment of Patients With Parkinson's Disease Experiencing Motor Fluctuations](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Solvay Pharmaceuticals**

Condition: Advanced Stage Parkinson's Disease

Phase: Phase III

[\[S,S\]-Reboxetine Add-On Trial](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Pfizer**

Condition: Pain

Phase: Phase II

[Treatment and Survival Continuation Study of Atamestane Plus Toremifene vs Letrozole in Advanced Breast Cancer](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Intarcia Therapeutics**

Condition: Breast Neoplasms

Neoplasms, Hormone-Dependent

Phase: Phase III

[40 Week Extension Study Of Asenapine and Olanzapine For Bipolar Disorder](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Organon**

Condition: Bipolar Disorder

Phase: Phase III

[9 Week Extension Study of Asenapine and](#)

[\(CRYSTAL\)](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Merck KGaA**
Condition: EGFR-Expressing Metastatic Colorectal Cancer
Phase: Phase III

[T138067 Versus Doxorubicin in Chemotherapy-Naive, Unresectable, Hepatocellular Carcinoma Patients](#)

Study Status: This study has been terminated.

Sponsored by:: **Tularik**
Condition: Hepatocellular Carcinoma
Phase: Phase II/Phase III

[Study of Heat Shock Protein-Peptide Complex \(HSPPC-96\) Versus IL-2/DTIC for Stage IV Melanoma](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Antigenics**
Condition: Malignant Melanoma
Phase: Phase III

[Study of Apixaban for the Prevention of Thrombosis-Related Events in Patients With Acute Medical Illness](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Bristol-Myers Squibb**
Condition: Venous Thrombosis Pulmonary Embolism
Phase: Phase III

[Comparison of the Combination of Fenofibrate and Simvastatin Versus Atorvastatin](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Fournier Laboratories Ireland Ltd**
Laboratoires Fournier SA

[Olanzapine in Treatment of Mania](#)

Study Status: This study has been completed.

Sponsored by:: **Organon**
Condition: Bipolar Disorder
Phase: Phase III

[A Multi-Center Trial to Compare Three Doses of Meloxicam and Placebo in Patients With Rheumatoid Arthritis](#)

Study Status: This study has been completed.

Sponsored by:: **Boehringer Ingelheim Pharmaceuticals**
Condition: Arthritis, Rheumatoid
Phase: Phase III

[Fludara Plus Alemtuzumab \(Campath, MabCampath\) vs Fludara Alone in B-Cell Chronic Lymphocytic Leukemia \(B-CLL\) Patients](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Genzyme**
Condition: B-Cell Lymphocytic Leukemia
Phase: Phase III

[Livial Intervention Following Breast Cancer: Efficacy, Recurrence and Tolerability Endpoints \(LIBERATE\)](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Organon**
Condition: Breast Cancer Climacteric Symptoms
Phase: Phase III

[A Phase 3 Study of BMS-477118 in Combination With Metformin in Subjects With Type 2 Diabetes Who Are Not Controlled With Diet and Exercise](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Bristol-Myers Squibb**
Condition: Diabetes

Condition: Hyperlipidemia

Phase: Phase III

[Efficacy and Tolerability of Ambroxol Lozenges \(Mucoangin®\) 20 mg in Relieving Pain of Sore Throat in Patients With Acute Viral Pharyngitis - A Randomised, Double-Blind, Placebo- and Active-Controlled Parallel Group Study.](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Boehringer Ingelheim Pharmaceuticals**

Condition: Pharyngitis

Phase: Phase III

[A Study of the Efficacy and Safety of RWJ-333369 as Add-on Therapy in the Treatment of Partial Onset Seizures.](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Condition: Complex Partial Seizures

Epilepsy, Focal

Epilepsy

Seizure Disorder

Epilepsy, Complex Partial

Phase: Phase III

[Apixaban for the Prevention of Stroke in Subjects With Atrial Fibrillation](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Bristol-Myers Squibb**

Condition: Atrial Fibrillation

Atrial Flutter

Phase: Phase III

[Efficacy and Safety of Prandial Inhalation of Technosphere/Insulin in Combination With Metformin or Technosphere/Insulin Alone Versus 2 Oral Anti-Diabetic Agents in Subjects With Type 2 Diabetes](#)

Study Status: This study is currently recruiting patients.

Phase: Phase III

[Study Of Celecoxib Or Diclofenac And Omeprazole For Gastrointestinal \(GI\) Safety In High GI Risk Patients With Arthritis](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Pfizer**

Condition: Osteoarthritis

Arthritis, Rheumatoid

Phase: Phase IV

[ABR-217620 With Interferon-Alpha \(IFN-Alpha\) Compared to IFN-Alpha Alone in Patients With Advanced Renal Cell Carcinoma](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Active Biotech Research**

Condition: Renal Cell Carcinoma

Phase: Phase II/Phase III

[TroVax Renal Immunotherapy Survival Trial](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Oxford BioMedica**

Condition: Clear Cell Renal Carcinoma

Phase: Phase III

[Combination of Telmisartan and Simvastatin in the Treatment of Hypertension and Hypercholesterolemia](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Boehringer Ingelheim Pharmaceuticals**

Sponsored by: **Mannkind Corporation**
Condition: Diabetes Mellitus, Type 2
Phase: Phase III

[Safety of Inhaled Insulin With Type 1 and Type 2 Diabetes](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Mannkind Corporation**
Condition: Diabetes Mellitus, Type I
Diabetes Mellitus, Type II
Phase: Phase III

[Intravenous Tedisamil in the Rapid Conversion of Atrial Fibrillation or Flutter to Normal Sinus Rhythm in Female Subjects](#)

Study Status: This study has been completed.

Sponsored by: **Solvay Pharmaceuticals**
Condition: Atrial Fibrillation
Atrial Flutter
Phase: Phase III

[Study of the Efficacy and Safety of Glufosfamide Compared With Best Supportive Care in Metastatic Pancreatic Cancer](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Threshold Pharmaceuticals**
PPD

Condition: Pancreatic Cancer
Phase: Phase III

[A Study of Docetaxel Monotherapy or DOXIL®/CAELYX® and Docetaxel in Patients With Advanced Breast Cancer](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Johnson & Johnson Pharmaceutical Research & Development, L.L.C.**

Condition: Cancer of Breast
Phase: Phase III

[Phase III Study of Atamestane Plus Toremifene](#)

Condition: Hypertension
Dyslipidemias
Phase: Phase III

[A Comparison of Outcomes in Patients in NYHA Class II Heart Failure When Treated With Eplerenone or Placebo in Addition to Standard Heart Failure Medicines.](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **Pfizer**
Condition: Heart Failure
Phase: Phase III

[COX-2 Inhibitor Study In Patients With Rheumatoid Arthritis](#)

Study Status: This study is currently recruiting patients.

Sponsored by: **GlaxoSmithKline**
Condition: Rheumatoid Arthritis
Phase: Phase III

[The CAT Study: Atamestane Plus Toremifene Versus Letrozole in Advanced Breast Cancer](#)

Study Status: This study is no longer recruiting patients.

Sponsored by: **Intarcia Therapeutics**
Condition: Breast Neoplasms
Neoplasms, Hormone-Dependent
Phase: Phase III

[MICHELANGELO OASIS-6 : FONDaparinux in ST Elevation Myocardial Infarction](#)

Study Status: This study has been completed.

Sponsored by: **Sanofi-Aventis**
Condition: Myocardial Infarction
Phase: Phase III

[Study Evaluating DVS-233 SR for Treatment of Vasomotor Symptoms Associated With](#)

[Versus Letrozole in Advanced Breast Cancer](#) [Menopause](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Intarcia Therapeutics**

Condition: Breast Neoplasms
Neoplasms, Hormone-Dependent

Phase: Phase III

Study Status: This study has been completed.

Sponsored by:: **Wyeth**

Condition: Menopause

Phase: Phase III

[Study Evaluating PPM-204 In Subjects With Type 2 Diabetes](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: **Wyeth**

Condition: Diabetes Mellitus

Phase: Phase II

[Phase II Trial Comparing ABI-007 to Taxotere in First Line Therapy of Patients With Stage IV Breast Cancer](#)

Study Status: This study is no longer recruiting patients.

Sponsored by:: **Abraxis BioScience Inc.**

Condition: Metastatic Breast Cancer

Phase: Phase II

[International Cooperation for Post-Chernobyl NIS Thyroid Tissue and Data Banks](#)

[Methadone Maintenance & HIV Risk in Ukraine](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: National Cancer Institute (NCI)

Condition: Environment

Study Status: This study is not yet open for patient recruitment.

Sponsored by:: National Institute on Drug Abuse (NIDA)

Condition: Opioid Dependence

Phase: Phase III

[Scientific Protocol for the Study of Leukemia and Other Hematologic Diseases Among Clean-up Workers in Ukraine Following the Chernobyl Accident](#)

[Scientific Protocol for the Study of Thyroid Cancer and Other Thyroid Disease in Ukraine Following the Chernobyl Accident](#)

Study Status: This study is currently recruiting patients.

Sponsored by:: National Cancer Institute (NCI)

Condition: Leukemia

Phase: Phase I

Study Status: This study is currently recruiting patients.

Sponsored by:: National Cancer Institute (NCI)

Condition: Thyroid Cancer

Thyroid Disease